

## outdoor living

-SITE

**EV-#** -**ELEVATION** 

PL-# -PLAN

FF-# -FLOOR FRAMING

CF-# -CEILING FRAMING

SD-# -SECTION/DETAIL

FP-# -FLOOR PLAN

FD-# -FOUNDATION/FOOTINGS RF-# -ROOF FRAMING

## HENDERSON ENTERPRISES, LLC d.b.a. Archadeck of Nashville

DRAWINGS PREPARED BY: ARCHADECK FRANCHISING CORPORATION **CONSTRUCTION & DRAFTING DEPARTMENT** 

2924 EMERYWOOD PARKWAY, SUITE 101

RICHMOND, VA 23294 © 2019 ARCHADECK FRANCHISING CORPORATION

UNAUTHORIZED DUPLICATION IS A VIOLATION OF ALL

APPLICABLE LAWS

ALL CONSTRUCTION PLANS ARE PROVIDED AS IS. ARCHADECK FRANCHISING CORPORATION DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY OR FITNESS OF PURPOSE. ARCHADECK FRANCHISING CORPORATION IS NOT LIABLE FOR INCIDENTAL, SPECIAL, CONSEQUENTIAL, OR INDIRECT DAMAGES OF ANY KIND, INCLUDING, BUT NOT LIMITED TO, LOSS OF ANTICIPATED PROFITS, BUSINESS OPPORTUNITY OR OTHER ECONOMIC LOSS ARISING OUT OF THE USE OF SERVICES OR ANY CONSTRUCTION PLANS RECEIVED FROM ARCHADECK FRANCHISING CORPORATION, EVEN IF ARCHADECK FRANCHISING CORPORATION HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. THE BUILDER'S RESPONSIBILITY TO ENSURE THE ACCURACY, COMPLIANCE WITH APPLICABLE STATUTE(S) OR REGULATION(S), AND FITNESS OF PURPOSE OF ANY PLANS OR CONSTRUCTION INFORMATION RECEIVED FROM ARCHADECK FRANCHISING CORPORATION PRIOR TO THE USE THEREOF.


ARCHADECK FRANCHISING CORPORATION IS NOT ENGAGED IN RENDERING PROFESSIONAL SERVICES OR ADVICE, USE OF ANY CONSTRUCTION INFORMATION PROVIDED BY ARCHADECK SERVICES OF AUTOLOGY OF AUT CONSTRUCTION INFORMATION PROVIDED BY ARCHADED FRANCHISING CORPORATION IS SUBJECT TO THE ADDITIONAL DISCLAMERS AND CAYEATS THAT MAY APPEAR THROUGHOUT THE CONSTRUCTION PLANS, CONTRACTS AND OTHER DOCUMENTS DEPONING TO THE BUILD FOR AND CUSTOMED. ID CUSTOMER.

- PARTING BOARD LOCATION AND CENTER LINE

-SECTION CUT PLANE

- DIRECTION OF VIEW

								PROVIDED TO THE BUILDER	R AND CUSTOMER.
DESIGN LOAD CRITERIA			IALIBECLII			SYMBOL LEGEND			
FOOTING/FOUNDATION LOADS LIVE LOAD DEAD LOAD TOTAL DESIGN LOAD DECK LOADS (L/240) (DECK FRAMING) FRAMING DESIGN LIVE LOAD	P.S.F. 40 10 50 P.S.F.	WITH STORAGE (L/240) WITHOUT STORAGE (L/240) WITH STORAGE (L/360) WITHOUT STORAGE (L/360) DEAD LOAD	20 10 20 10		JAUREGUI 156-097574 101 S. HIGH DRIVE GOODLETTSVILLE, TN., 37072		T.O.D. TAG  XX"  ELEVATION AT POINT OF TAG	DETAIL TAG  DETAIL NUMBER  ##  SHEET	
FRAMING DESIGN DEAD LOAD	10	ROOF LOADS (L/240)	P.S.F.	ABBR	EVIATIONS:			STAIR TAG	SECTION TAG
TOTAL FRAMING DESIGN LOAD  FLOOR LOADS (L/360)  LIVE LOAD (LIVING)  LIVE LOAD (SLEEPING)  DEAD LOAD  SPA LOADS (L/240)	70 P.S.F. 40 30 10	SNOW LOAD DEAD LOAD TOTAL DESIGN LOAD PERGOLA LOADS (L/240) LIVE LOAD	20 10 30 <b>P.S.F.</b>	#B #BB #C #CB #DB	- BEAM - BAND BOARD - RAIL CAP LENGTH - COLLAR BEAM - DOUBLE BAND - DOUBLE JOIST	GLU. HDR. INT. IN. JST. LB.	- GLULAM - HEADER - INTERIOR - INCH - JOIST - POUNDS	# DN	SECTION ## DIRE
LIVE LOAD DEAD LOAD TOTAL DESIGN LOAD  **ASSUMED SPA LOADING, VERIFY W/ SPA MANUFACTURER**	P.S.F. 100 10 110	DEAD LOAD TOTAL DESIGN LOAD  **ASSUMED OPEN FRAMED PERG NOT DESIGNED FOR SNOW LOA	5 15 GOLA,	#DR #F #G #HBE #HBE #KB #RB	- DOUBLE RAFTER - FENCE CAP LENGTH - GIRDER - HOUSE BAND - HOUSE BAND EXTENSION - KING BEAM - QUAD JOIST - RIDGE BEAM	L.L. L.V.L. LOWR. MANUF. MAX. MIN. MOD.	- LIVE LOAD - LAMINATED VENEER LUMBER - LOWER - MANUFACTURER - MAXIMUM - MINIMUM - MODIFIED	■ -4 x 4 DECK COLUMN ■ -4 x 6 DECK COLUMN ■ -6 x 6 DECK COLUMN	
DESIGN CRITERIA:  THIS PROJECT HAS BEEN DESIGNED FOLLOWING THE REGULATIONS OF THE 2012 IRC (INTERNATIONAL RESIDENTIAL CODE).  WORK TO MEET LOCAL, STATE AND APPLICABLE RULES AND REGULATIONS.  IN-GRADE DESIGN VALUES BASED ON AF&PA.  PROVIDE JOIST HANGERS @ ALL FLUSH FRAME CONDITIONS.  PRESUMPTIVE SAFE SOIL BEARING CAPACITY IS 2000 PSF.  FROST LINE 12".  CONNECTIONS TO EXISTING STRUCTURE FLASHED PER LOCAL CODE  LUMBER:  ALL FRAMING LUMBER TO BE #2 S.P. (SOUTHERN PINE) OR			#RP #TB #TJ ALT. ALUM. APX. BD. C/L CJ CLG. C.M.U. CONC. CONT.	- ROOF PLATE - TRIPLE BAND - TRIPLE JOIST - ALTERNATE - ALUMINUM - APPROXIMATE - BOARD - CENTER LINE - CEILING JOIST - CEILING - CONCRETE MASONRY UNIT - CONCRETE	N.T.S. O.C. OPT. O.S.B. P.L. P.L.F. P.S.F. P.S.I. P.S.L. P.T. P.T.T. P.V.C.	- NOT TO SCALE - ON CENTER - OPTIONAL - ORIENTED STRAND BOARD - POINT LOAD - POUNDS PER LINEAR FOOT - POUNDS PER SQUARE FOOT - POUNDS PER SQUARE INCH - PARALLEL STRAND LUMBER - PRESSURE TREATED - POUR TO TOP - POLY VINYL CHLORIDE	- RAIL POST - FENCE POST - ROOF POST/ PERGOLA POST - STUD LOCATION	X - X BRACING  PB - PARTING BOARD LI AND CENTER LINE	
BETTER, TREATED FOR EXTERIOR USE, PER LOCAL CODE U.N.O.  - ALL PSL ENGINEERED TYPE LUMBER TO BE TREATED FOR EXTERIOR USE: P.S.L. STRESS CLASS (2.0E, 2900Fb) P.S.I.  - ALL GLULAM ENGINEERED TYPE LUMBER TO BE TREATED FOR EXTERIOR USE: GLULAM STRESS CLASS (1.9E, 2600Fb) P.S.I.  - ALL LVL/MICROLLAM ENGINEERED TYPE LUMBER TO BE INTERIOR USE ONLY: LVL STRESS CLASS (1.9E, 2600Fb) P.S.I.			DBL. DIA. DIM. D.L. DN. DTL. ELEC.	- CONTINUOUS - DOUBLE - DIAMETER - DIMENSION - DEAD LOAD - DOWN - DETAIL - ELECTRICAL	RBD. REQD. R.O. RSW S.F. SQ. T&G T.L.	- RIDGE BOARD - REQUIRED - ROUGH OPENING - RIDGE SUPPORT WALL - SQUARE FOOT/FEET - SQUARE - TONGUE & GROOVE - TOTAL LOAD	FOR ANY QUESTIONS OR CONCERNS PLEASE CONTACT HENDERSON ENTERPRISES, LLC 1919 Appomattox Drive Lebanon, TN 37087 PHONE: (615)-547-2333		
L.V.L. STRESS CLASS (1.8E, 2600Fb) P.S.I.  CONCRETE: - MINIMUM 28 DAY COMPRESSIVE STRENGTH = 2500 PSI.  SHEET INDEX  NOTE THAT NOT ALL JOBS REQUIRE ALL SHEETS				ELEV. EQ. EXT. FIN. FLR. FND. FT.	- ELEVATION (SEE T.O.D.) - EQUIVALENT - EXTERIOR - FINISH - FLOOR - FOUNDATION - FOOT/FEET - FOUNDATION VENT	T.C. T.O.D. TYP. UNFIN. U.N.O. UPR. W/ W/O	- TOP OF DECK - TYPICAL - UNFINISHED - UNLESS NOTED OTHERWISE - UPPER - WITH - WITHOUT	ENGINEER OF RECORI (AS APPLICABLE)	D



All dimensions are approximate. In the event of a difference between the drawn and written dimensions, the written dimensions, the written dimensions, these drawings may need to be modified by the builder to comply with such local codes and regulations, or site conditions. outdoor living **EXISTING RESIDENCE** Nashville DOWN 3" FROM DOOR THRESHOLD TO DECK امً 2 2 x 8 -**BLOCKING** 9'-0" (TYP.) 12'-0" .9-,9 12'-0" ||12 ||12 ||11 ||10 ||9 SHEET DESCRIPTION SHEET: 3'-0" 3'-0" FF-1 └─ 2 x 6 BRACING (TYP.) SCALE: 1/4" = 1'-0' 14'-0" Prepared by: Archadeck Franchising Corporation 2924 Emerywood Parkway Suite 101 3'-0" 21'-0" 3'-0" Richmond, VA 23294 Construction & Drafting Department 27'-0" 2017 Archadeck Franchising Corporation
All rights reserved. Unauthorized duplication is a violation of all applicable laws. 156-JAUREGUI-097574 101 S. HIGH DRIVE GOODLETTSVILLE, TN. 37072 DRAWN BY: TMG EXT: #233 MAY 09, 2019 GENERAL DECK NOTES (2) 2 x 10 P.T. BEAM(S), SEE PLAN FOR LOCATION(S) #210-B 2 x 8 P.T. JOISTS @ 16" O.C. (TYP) & 12" O.C. IN 2' & 3' BAYS 2 x 8 P.T. SINGLE EDGE BAND #210-B 2 x 8 P.T. HOUSE BAND w/ JOIST HANGERS & LEDGERLOKS STAGGERED @ 10" O.C. (PER MANUFACTURER'S SPECIFICATIONS) PER DETAIL #V-202-B 2 x 6 P.T. BRACING (TYPICAL), SEE PLAN FOR LOCATION(S) #310

All dimensions are approximate. In the event of a difference between the drawn and written dimensions, the written dimensions, and specific site conditions, these drawings may need to be modified by the builder to comply with such local codes and regulations, or site conditions. outdoor living **EXISTING RESIDENCE** Nashville DOWN 3" FROM DOOR THRESHOLD TO DECK 2'-6" 9'-0" 12'-0" .9-,9 12'-0" SHEET DESCRIPTION SHEET: 3'-0" 3'-0" FP-1 SCALE: 1/4" = 1'-0" DECKING @ 50 DEGREES 14'-0" Prepared by: Archadeck Franchising Corporation 2924 Emerywood Parkway Suite 101 3'-0" 3'-0" 21'-0" Richmond, VA 23294 Construction & Drafting Department 27'-0" ©2017 Archadeck Franchising Corporation
All rights reserved. Unauthorized duplication is a violation of all applicable laws. 156-JAUREGUI-097574 101 S. HIGH DRIVE GOODLETTSVILLE, TN. 37072 DRAWN BY: TMG EXT: #233 MAY 09, 2019 **GENERAL DECK NOTES** 5/4 x 6 P.T. DECKING w/ H.D.G. SCREW FASTENERS 1 x 4 P.T. TRIM @ PERIMETER #200 36" HIGH DECKORATOR P.T. RAIL #514 ALUMINUM PICKETS SPACED PER CODE